



VP constructeurs BV

Blad no.: 9

Project no.: _____

vervolg 9 - last 6

$$1.35 \cdot G = 1.35 \cdot 13.4 = 18.1$$

9 - last 7

permanent :

fundering :

$$\text{dak} : \frac{1}{2} \cdot 2.0 \cdot 0.6$$

$$\text{m.w.} : 1.0 \cdot 0.2 \cdot 2.0$$

$$\text{kozyn} : 2.0 \cdot 0.5$$

$$= 3.4$$

$$= 0.6$$

$$= 4.0$$

$$= \frac{1.0}{9.0}$$

$$9.0 \cdot 1.2 = 10.8$$

veranderlijk :

$$\text{sneeuw} : \frac{1}{2} \cdot 2.0 \cdot 0.56$$

$$= 0.6 \cdot 1.3 = \frac{0.8}{11.6 \text{ kN/m'}}$$

$$1.35 \cdot G = 1.35 \cdot 9.0 = 12.2 \text{ kN/m'}$$

9 - last 8

permanent :

fundering :

$$\text{dak} : \frac{1}{2} \cdot 2.0 \cdot 0.6$$

$$\text{m.w.} : 3.0 \cdot 0.2 \cdot 2.0$$

$$= 3.4$$

$$= 0.6$$

$$= \frac{12.0}{16.0}$$

$$16.0 \cdot 1.2 = 19.2$$

veranderlijk :

$$\text{dak : sneeuw} : \frac{1}{2} \cdot 2.0 \cdot 0.56$$

$$= 0.6 \cdot 1.3 = \frac{0.8}{20.0 \text{ kN/m'}}$$

$$1.35 \cdot G = 1.35 \cdot 16.0 = 21.6 \text{ kN/m'}$$